

# ViewSonic® LCD DISPLAY

## VA2409-MHU

### Key Features

- SuperClear® IPS panel with Full HD 1080p resolution
- USB-C port for up to 65W power delivery
- HDMI, VGA and USB-C inputs for flexible connectivity
- Threesided frameless design for seamless viewing
- 75Hz Refresh rate delivers fluid visuals



### Product Description

The ViewSonic VA2409-MHU is a 24" Full HD monitor featuring HDMI, VGA and USB-C inputs for business and home use. The optimal screen performance and comfortable viewing without tearing or stuttering is delivered through adaptive sync, eye-care technology, and various ViewMode presets. Simply expand your workspace and experience truly seamless, ergonomic multitasking on just one screen with a VESA-compatible mount at a low power consumption.



1. Power In
2. USB Type-C
3. HDMI
4. VGA
5. Audio
6. VESA Compatible(Wall Mount 100 x 100 mm)

Visit Us

[www.viewsonic.com](http://www.viewsonic.com)

**DISPLAY**

Display Size (in.):	24
Viewable Area (in.):	23.6
Panel Type:	IPS Technology
Resolution:	1920 x 1080
Resolution Type:	FHD (Full HD)
Static Contrast Ratio:	1,000:1 (typ)
Dynamic Contrast Ratio:	50M:1
Light Source:	LED
Brightness:	250 cd/m <sup>2</sup> (typ)
Colors:	16.7M
Color Space Support:	8 bit (6 bit + FRC)
Aspect Ratio:	16:9
Response Time (Typical GTG):	3ms
Viewing Angles:	178° horizontal, 178° vertical
Backlight Life (Hours):	30000 Hrs (Min)
Curvature:	Flat
Refresh Rate (Hz):	75
Variable Refresh Rate Technology:	Yes
Blue Light Filter:	Yes
Flicker-Free:	Yes
Color Gamut:	NTSC: 72% size (Typ) sRGB: 104% size (Typ)
Pixel Size:	0.272 mm (H) x 0.272 mm (V)
Surface Treatment:	Anti-Glare, Hard Coating (3H)

**COMPATIBILITY**

PC Resolution (max):	1920x1080
Mac® Resolution (max):	1920x1080
PC Operating System:	Windows 10/11 certified; macOS tested
Mac® Resolution (min):	1920x1080

**CONNECTOR**

VGA:	1
USB 3.2 Type C DisplayPort Alt mode only :	1 (65W power charger)
3.5mm Audio Out:	1
HDMI 1.4:	1
Power in:	DC Socket (Center Positive)

**AUDIO**

Internal Speakers:	2Watts x2
--------------------	-----------

**POWER**

Eco Mode (Conserve):	18W
Eco Mode (optimized):	19W
Consumption (typical):	22W
Consumption (max):	86W

**CONTROLS**

Physical Controls:	Key 1 (favorite), Key 2, Key 3, Key 4, Key 5 (power)
On Screen Display:	Input Select, Audio Adjust, ViewMode, Color Adjust, Manual Image Adjust, Setup Menu

**OPERATING CONDITIONS**

Temperature:	32°F to 104°F (0°C to 40°C)
Humidity (non-condensing):	20% to 90%

**WALL MOUNT**

VESA Compatible:	100 x 100 mm
------------------	--------------

**INPUT SIGNAL**

Frequency Horizontal:	24 ~ 86KHz
Frequency Vertical:	48 ~ 75Hz

**VIDEO INPUT**

Digital Sync:	TMDS - HDMI (v1.4), Micro-Packet - Type C
Analog Sync:	Separate - RGB Analog

**ERGONOMICS**

Tilt (Forward/Back):	-3° / 20°
----------------------	-----------

**WEIGHT (IMPERIAL)**

Net (lbs):	6.7
Net Without Stand (lbs):	5.9
Gross (lbs):	10.6

**WEIGHT (METRIC)**

Net (kg):	3
Net Without Stand (kg):	2.7
Gross (kg):	4.8

**DIMENSIONS (IMPERIAL) (WXHXD)**

Packaging (in.):	23.7 x 16.1 x 4.7
Physical (in.):	21 x 16.5 x 7.4
Physical Without Stand (in.):	21 x 12.6 x 2

**DIMENSIONS (METRIC) (WXHXD)**

Packaging (mm):	602 x 408 x 120
Physical (mm):	534 x 419 x 189
Physical Without Stand (mm):	534 x 321 x 51

**GENERAL**

Regulations:	RoHS, WEEE, BIS
PACKAGE CONTENTS:	VA2409-MHU x1, 3-pin Mickey Mouse Plug (IEC C5) x1, HDMI Cable (v1.4; Male-Male) x1, USB Type-C Cable (Male-Male) x1, AC/DC Adapter x1, Quick Start Guide x1

Recycle/Disposal:	Please dispose of in accordance with local, state or federal laws.
-------------------	--

Warranty:	*Warranty offered may differ from market to market
-----------	--

Voltage:	AC 100-240V
Stand-by:	0.5W
Power Supply:	External Power Adaptor

**ADDITIONAL HARDWARE**

Kensington Lock Slot:	1
-----------------------	---

Copyright © ViewSonic Corporation 2000-2024. All rights reserved.