

ViewSonic  LCD DISPLAY
VX2480-SHDJ


Key Features

- Full HD resolution for high detail
- SuperClear® IPS Technology
- 75Hz Refresh Rate
- Adjustable Ergonomic Stand
- VGA, HDMI and DisplayPort connectivity



Product Description

The ViewSonic VX2480-SHDJ combines incredible picture quality and an ergonomic design. A 24" Full HD, IPS display renders detailed images and videos with vibrant colors and contrasts. The 75Hz refresh rate enables a smooth PC experience, from scrolling through web pages to gaming. With a sleek, thin bezel display and minimal design, this monitor fits both at work and at home. And no matter where you position the monitor, the ergonomic stand provides incredible comfort and flexibility with swivel, pivot, tilt and height adjustment. The built-in cable management solution helps keep your space free of clutter. VX2480-SHDJ is also equipped with ViewSonic's exclusive ViewMode™ presets, which offer optimized screen performance for a variety of scenarios such as gaming, editing, or watching movies. In addition, a DisplayPort and HDMI inputs offer flexible connectivity for gaming and entertainment.



1. VESA Compatible(Wall Mount 100 x 100mm)
2. Menu Controls
3. Display Port
4. HDMI
5. AC in
6. Audio
7. VGA

Visit Us www.viewsonic.com

DISPLAY

Display Size (in.):	24
Viewable Area (in.):	23.8
Panel Type:	IPS Technology
Resolution:	1920 x 1080
Resolution Type:	FHD (Full HD)
Static Contrast Ratio:	1,000:1 (typ)
Dynamic Contrast Ratio:	80M:1
Light Source:	LED
Brightness:	250 cd/m ² (typ)
Colors:	16.7M
Color Space Support:	8 bit (6 bit + FRC)
Aspect Ratio:	16:9
Response Time (Typical GTG):	4ms
Viewing Angles:	178° horizontal, 178° vertical
Backlight Life (Hours):	30000 Hrs (Min)
Curvature:	Flat
Refresh Rate (Hz):	75
Blue Light Filter:	Yes
Flicker-Free:	Yes
Color Gamut:	NTSC: 72% size (Typ) sRGB: 103% size (Typ)
Pixel Size:	0.275 mm (H) x 0.275 mm (V)
Surface Treatment:	Anti-Glare, Hard Coating (3H)

COMPATIBILITY

PC Resolution (max):	1920x1080
Mac® Resolution (max):	1920x1080
PC Operating System:	Windows 10 certified; macOS tested
Mac® Resolution (min):	1920x1080

CONNECTOR

VGA:	1
3.5mm Audio In:	1
3.5mm Audio Out:	1
HDMI 1.4:	1
DisplayPort:	1
Power in:	3-pin Socket (IEC C14 / CEE22)

POWER

Eco Mode (Conserve):	18W
Eco Mode (optimized):	20W
Consumption (typical):	22W
Consumption (max):	23W
Voltage:	AC 100-240V
Stand-by:	0.5W
Power Supply:	Internal Power Supply

ADDITIONAL HARDWARE**CONTROLS**

Physical Controls:	Key 1 (favorite), Key 2, Key 3, Key 4, Key 5 (power)
On Screen Display:	Input Select, Audio Adjust, ViewMode, Color Adjust, Manual Image Adjust, Setup Menu

OPERATING CONDITIONS

Temperature:	32°F to 104°F (0°C to 40°C)
Humidity (non-condensing):	20% to 90%

WALL MOUNT

VESA Compatible:	100 x 100 mm
------------------	--------------

INPUT SIGNAL

Frequency Horizontal:	24 ~ 83KHz
Frequency Vertical:	48 ~ 75Hz

VIDEO INPUT

Digital Sync:	TMDS - HDMI (v1.4), PCI-E - DisplayPort (v1.2)
Analog Sync:	Separate - RGB Analog

ERGONOMICS

Height Adjust (mm):	150
Swivel:	90°
Tilt (Forward/Back):	-5° / 20°
Pivot (Right/Left):	90° / 0°

WEIGHT (IMPERIAL)

Net (lbs):	11.9
Net Without Stand (lbs):	7.3
Gross (lbs):	15.1

WEIGHT (METRIC)

Net (kg):	5.4
Net Without Stand (kg):	3.3
Gross (kg):	6.9

DIMENSIONS (IMPERIAL) (WXHxD)

Packaging (in.):	30.3 x 16.6 x 5.2
Physical (in.):	21.2 x 15.14~21.04 x 8.4
Physical Without Stand (in.):	21.2 x 12.5 x 2

DIMENSIONS (METRIC) (WXHxD)

Packaging (mm):	769 x 422 x 132
Physical (mm):	539 x 384.5~534.5 x 214
Physical Without Stand (mm):	539 x 317 x 50

GENERAL

Regulations:	RoHS, WEEE, BIS
PACKAGE CONTENTS:	VX2480-SHDJ x1, 3-pin Plug (IEC C13 / CEE22) x1, HDMI Cable (v1.4; Male-Male) x1, Quick Start Guide x1
Recycle/Disposal:	Please dispose of in accordance with local, state or federal laws.
Warranty:	*Warranty offered may differ from market to

Kensington Lock Slot:	1
-----------------------	---

market

Cable Organization:	Yes
---------------------	-----

Copyright © ViewSonic Corporation 2000-2024. All rights reserved.