

# ViewSonic® LCD DISPLAY

## VX2780-2K-SHDJ


### Key Features

- QHD resolution for incredible detail
- SuperClear® IPS Technology
- 75Hz Refresh Rate
- Adjustable Ergonomic Stand
- HDMI and DisplayPort connectivity



### Product Description

The ViewSonic VX2780-2K-SHDJ combines incredible picture quality and an ergonomic design. A 27" pixel dense, QHD display renders sharp images, and videos packed with detail. The 75Hz refresh rate enables a smooth experience from scrolling through the web to gaming. With a sleek, thin bezel display and minimal design, this monitor is perfect at work or home. An ergonomic stand with swivel, pivot, tilt and height adjustment, provides increased viewing comfort and enables a flexible desk arrangement. The additional built-in cable management solution keeps your space cable free. VX2780-2K-SHDJ is also equipped with ViewSonic's exclusive ViewMode™ presets, which offer optimized screen performance for a variety of scenarios such as gaming, editing, or watching movies. In addition, a DisplayPort and HDMI inputs offer flexible connectivity.



1. VESA Compatible(Wall Mount 100 x 100mm)
2. Menu Controls
3. HDMI x 2
4. DisplayPort
5. AC In
6. Audio

**Visit Us**

[www.viewsonic.com](http://www.viewsonic.com)

**DISPLAY**

Display Size (in.):	27
Viewable Area (in.):	27
Panel Type:	IPS Technology
Resolution:	2560 x 1440
Resolution Type:	QHD (Quad HD)
Static Contrast Ratio:	1,000:1 (typ)
Dynamic Contrast Ratio:	80M:1
Light Source:	LED
Brightness:	250 cd/m <sup>2</sup> (typ)
Colors:	16.7M
Color Space Support:	8 bit true
Aspect Ratio:	16:9
Response Time (Typical GTG):	4ms
Viewing Angles:	178° horizontal, 178° vertical
Backlight Life (Hours):	30000 Hrs (Min)
Curvature:	Flat
Refresh Rate (Hz):	75
Blue Light Filter:	Yes
Flicker-Free:	Yes
Color Gamut:	NTSC: 72% size (Typ) sRGB: 102% size (Typ)
Pixel Pitch:	0.233 mm (H) x 0.233 mm (V)
Surface Treatment:	Anti-Glare, Hard Coating (3H)

**COMPATIBILITY**

PC Resolution (max):	2560x1440
Mac® Resolution (max):	2560x1440
PC Operating System:	Windows 10 certified; macOS tested
Mac® Resolution (min):	2560x1440

**CONNECTOR**

3.5mm Audio Out:	1
HDMI 1.4:	2
DisplayPort:	1
Power in:	3-pin Socket (IEC C14 / CEE22)

**POWER**

Eco Mode (Conserve):	25W
Eco Mode (optimized):	29W
Consumption (typical):	32W
Consumption (max):	35W
Voltage:	AC 100-240V
Stand-by:	0.5W
Power Supply:	Internal Power Supply

**ADDITIONAL HARDWARE**

Kensington Lock Slot:	1
Cable Organization:	Yes

**OPERATING CONDITIONS**

Temperature:	32°F to 104°F (0°C to 40°C)
Humidity (non-condensing):	20% to 90%

**WALL MOUNT**

VESA Compatible:	100 x 100 mm
------------------	--------------

**INPUT SIGNAL**

Frequency Horizontal:	24 ~ 113KHz
Frequency Vertical:	50 ~ 75Hz

**VIDEO INPUT**

Digital Sync:	TMDS - HDMI (v1.4), PCI-E - DisplayPort (v1.2)
---------------	---

**ERGONOMICS**

Height Adjust (mm):	150
Swivel:	90°
Tilt (Forward/Back):	-5° / 20°
Pivot (Right/Left):	90° / 0°

**WEIGHT (IMPERIAL)**

Net (lbs):	13.1
Net Without Stand (lbs):	8.4
Gross (lbs):	17.1

**WEIGHT (METRIC)**

Net (kg):	5.9
Net Without Stand (kg):	3.8
Gross (kg):	7.8

**DIMENSIONS (IMPERIAL) (WXHXD)**

Packaging (in.):	33.3 x 20 x 5.3
Physical (in.):	24.1 x 16.12~22.02 x 8.4
Physical Without Stand (in.):	24.1 x 14 x 1.8

**DIMENSIONS (METRIC) (WXHXD)**

Packaging (mm):	845 x 507 x 134
Physical (mm):	613 x 409.4~559.4 x 214
Physical Without Stand (mm):	613 x 357 x 47

**GENERAL**

Regulations:	RoHS, WEEE, VCCI, PSE, BIS
--------------	-------------------------------

PACKAGE CONTENTS:	VX2780-2K-SHDJ x1, 3-pin Plug (IEC C13 / CEE22) x1, HDMI Cable (v1.4; Male-Male) x1, Quick Start Guide x1
-------------------	---

Recycle/Disposal:	Please dispose of in accordance with local, state or federal laws.
-------------------	--

Warranty:	*Warranty offered may differ from market to market
-----------	--

## CONTROLS

Physical Controls:	Key 1 (favorite), Key 2, Key 3, Key 4, Key 5 (power)
On Screen Display:	Input Select, Audio Adjust, ViewMode, Color Adjust, Manual Image Adjust, Setup Menu

Copyright © ViewSonic Corporation 2000-2024. All rights reserved.